## FY99 Army Program Listing ACAT IV Non-AIS Programs\*

			MDA		PM	Organization
<u>Program</u>	<u>Current</u>	<b>ACAT</b>	(Name	<u>PM</u>	Level	Reports To
Guardrail / Common Sensor (GR/CS),	PFDOS	IV	PEO, IEW&S	PM, ACS	PD	PEO, IEW&S
System 1, 2 and 4			(MG Gust)			
GR/CS System 1, 2 and 4 is a corps-level SIGINT	(COMINT & ELINT	) collection and	precision targeting sys	stem.		
Hydraulic/Electric Engineer Tool	PFDOS	IV	CG, AMCOM	TACOM (ACALA)	PG	DSA, TACOM
Outfit			(MG Sullivan)			
Formerly the Pioneer Tool Outfit (PTO), is an asse	mbly of 102 compo	nents used in t	he engineering, constru	uction, and repair of cor	mbat facilities.	It contains both
electric and hydraulic tools, and is powered by a D	ED hydraulic powe	r unit and tools	powered by a portable	hydraulic motor genera	ator (PHMG).	
Shop Equipment Contact	PDRR	IV	CG, AMCOM	WSM AGSE	PD	DSA, AMCOM
Maintenance (SECM)			(MG Sullivan)			
High Mobility, Multipurpose, Wheeled Vehicle (HM	MWV) Heavy Varia	nt (HHV) with a	an enclosure on back u	sed to transport person	nel, repair part	s, and tools to
forward battlefield locations to repair disabled aircr	aft.					
Air Conditioners - Improved	EMD	IV	Dir, CECOM LRC	CECOM LRC	Item/Sy	DSA, CECOM
Environmental Control Unit (IECU)			(Mr. LaPlaca)		stem	
					Manage	
					r	
A new generation of air conditioners that will satisfy	the requirement for	or operation of	non ozone depleting re	frigerants.		
Army Space Heater	PFDOS	IV	Dir, CECOM LRC	CECOM LRC	Item/Sy	DSA, CECOM
			(Mr. LaPlaca)		stem	
					Manage	

Page 1 of 18

A diesel fueled, electric motor driven, clean air heater which replaces the gasoline fueled Herman Nelson heater.

Manager

PD = O-5/GS-14 Product Manager Title if None of the Above

\* Sorted By MDA, Then By PM, Then By Pgm Title

<sup>\*\*</sup> PM Level: PG = O-7/SES Program Manager PJ = O-6/GS-15 Project

			WIDA		PIVI	Organization
<u>Program</u>	<u>Current</u>	<u>ACAT</u>	(Name	<u>PM</u>	<u>Level</u>	Reports To
Meteorological Measuring Set	PFDOS	IV	Dir, CECOM LRC	CECOM LRC	Item/Sy	DSA, CECOM
AN/TMQ-H (MMS)			(Mr. LaPlaca)		stem	
					Manage	
					r	

The MMS provides a mobile, lightweight upper air automated meteorological data sensing, collecting, processing, formatting and transmission system for the field artillery. The MMS ground terminal is housed in a lightweight multipurpose shelter (LMS) and transported by HMMWV. The system includes a total of 3 HMMWVs, 2 cargo trailers and a trailer mounted generator. Upper atmospheric data is collected by a balloon borne radiosonde that telemeters met data to the ground. The hydrogen generator produces hydrogen gas to inflate meteorological balloons. The HG will be used to support the MMS, AN/TMQ-41. Hydrogen is produced by heating a mixture of methanol and water in the presence of a catalyst. Heat is provided by burning methanol. The HG is mounted on a HMMWV.

Secure Telephone System	PFDOS	IV	Dir, CECOM LRC	CECOM LRC	Item/Sy	DSA, CECOM
			(Mr. LaPlaca)		stem	
					Manage	
					r	

Provides seamless interoperability between strategic and tactical system operations. Features include: Software upgradeable; Auto answer/unattended operation; ISDN (Digital) for voice, fax, VTC, Data; Matches MISSI Technologies; Compatible with LPPS (Lightweight Portable Power Supply)

CTG, .22 caliber, all types	PFDOS	IV	CG, IOC	SMCA	Item/Sy	CG, IOC
			(MG Arbuckle)		stem	
					Manage	
					r	
This ammunition is being procured to support	t rifle and pistol training a	nd competitior	٦.			
CTG, .38 caliber, M41	PFDOS	IV	CG, IOC	SMCA	Item/Sy	CG, IOC
			(MG Arbuckle)		stem	
					Manage	
					r	
This ammunition is being procured to suppor	t various pistol application	ns, mainly for	security forces.			
CTG, .45 caliber, match grade	PFDOS	IV	CG, IOC	SMCA	Item/Sy	CG, IOC
			(MG Arbuckle)		stem	
					Manage	

r

Page 2 of 18

This ammunition is being procured to support pistol competition and special forces applications.

\* Sorted By MDA, Then By PM, Then By Pgm Title

\*\* PM Level: PG = O-7/SES Program Manager PJ = O-6/GS-15 Project

Manager

PD = O-5/GS-14 Product Manager Title if None of the Above

			MDA		PM	Organization
<u>Program</u>	<u>Current</u>	<b>ACAT</b>	(Name	<u>PM</u>	<u>Level</u>	Reports To
CTG, .50 caliber, all types	PFDOS	IV	CG, IOC	SMCA	Item/Sy	CG, IOC
			(MG Arbuckle)		stem	
					Manage	
					r	
This ammunition is being procured in support	of the M2 and M85 Mac	chine Gun.				
CTG, 120mm TP-T, M831A1	PFDOS	IV	CG, IOC	SMCA	Item/Sy	CG, IOC
			(MG Arbuckle)		stem	
					Manage	
					r	
The 120mm M831A1 Target Practice-Tracer	(TP-T) Round is a fixed	round which use	es a granular propellant s	system. This round	d is fired from the N	//256 120mm
smooth bore cannon on the M1A1/M1A2 Abr	ams Tank. The M831A1	is a training uni	que item which matches	the ballistics of th	e chemical energy	service round
(M830).						
CTG, 120mm TPCSDS-T, M865	PFDOS	IV	CG, IOC	SMCA	Item/Sy	CG, IOC
			(MG Arbuckle)		stem	
					Manage	
					r	
The 120mm M865 Target Practice Cone-Stal	oilized Discarding Sabot	with Tracer (TP	CSDS-T) is a target prac	ctice round that sir	nulates the ballistic	cs of the Armor
Piercing Fin-Stabilized Discarding Sabot with	Tracer (APFSDS-T) Ro	und. This round	is fired from the M256 1	20mm Cannon on	the M1A1/M1A2 A	Abrams Tank.
CTG, 20mm, All Types	PFDOS	IV	CG, IOC	SMCA	Item/Sy	CG, IOC
			(MG Arbuckle)		stem	
					Manage	
					r	
This ammunition is being procured to support	t COBRA Helicopter train	ning.				
CTG, 25mm, all types	PFDOS	IV	CG, IOC	SMCA	Item/Sy	CG, IOC
			(MG Arbuckle)		stem	
					Manage	
					r	
This ammunition is being procured to support	t training and combat app	plications for the	Bradley Fighting Vehicl	e.		
CTG, 30mm, all types	PFDOS	IV	CG, IOC	SMCA	Item/Sy	CG, IOC
			(MG Arbuckle)		stem	
					Manage	
					r	

This ammunition is being procured to support combat applications on the Apache Helicopter.

\* Sorted By MDA, Then By PM, Then By Pgm Title

Page 3 of 18

r

\*\* PM Level: PG = O-7/SES Program Manager PJ = O-6/GS-15 Project

Manager

PD = O-5/GS-14 Product Manager Title if None of the Above

<u>Program</u>	<u>Current</u>	<u>ACAT</u>	(Name	<u>PM</u>	<u>Level</u>	Reports To
CTG, 40mm, All Types	PFDOS	IV	CG, IOC	SMCA	Item/Sy	CG, IOC
			(MG Arbuckle)		stem	
					Manage	
					r	
This ammunition is being procured to support comba	t applications on the	e MK-19.				
CTG, 5.56mm, all types	PFDOS	IV	CG, IOC	SMCA	Item/Sy	CG, IOC
			(MG Arbuckle)		stem	
					Manage	
					r	
This ammunition is being procured in support of the I	M16A1 and M16A2	Rifles.				
CTG, 7.62mm, all types	PFDOS	IV	CG, IOC	SMCA	Item/Sy	CG, IOC
			(MG Arbuckle)		stem	
					Manage	
					r	
This ammunition is being procured in support of the	7.62mm rifle and 7.6	62mm machir	e gun.			
CTG, 75mm blank, M337A1	PFDOS	IV	CG, IOC	SMCA	Item/Sy	CG, IOC
			(MG Arbuckle)		stem	
					Manage	
					r	
This cartridge is being procured for use with the 75m	m howitzer. It is use	ed for salute p	ourposes during parades	and ceremonies.		
CTG, 9mm Ball, M882	PFDOS	IV	CG, IOC	SMCA	Item/Sy	CG, IOC
			(MG Arbuckle)		stem	
					Manage	
					r	
This ammunition is being procured in support of the 9	9mm pistol.					
CTG, Mortar, 81 mm M880	PFDOS	IV	CG, IOC	SMCA	Item/Sy	CG, IOC
			(MG Arbuckle)		stem	
					Manage	
					r	

**MDA** 

PM

Organization

An 81 mm mortar low cost, short range practice round. Reusable (25X), eliminates sabot and separates sabot and separate sub-cal cartridges for each zone.

Page 4 of 18

PD = O-5/GS-14 Product Manager Title if None of the Above

<sup>\*</sup> Sorted By MDA, Then By PM, Then By Pgm Title

<sup>\*\*</sup> PM Level: PG = O-7/SES Program Manager PJ = O-6/GS-15 Project

ACAT IV by MDA (Non-AIS)						
			MDA		PM	Organization
<u>Program</u>	<u>Current</u>	<u>ACAT</u>	<u>(Name</u>	<u>PM</u>	<u>Level</u>	Reports To
<b>Demolition Munitions, all types</b>	PFDOS	IV	CG, IOC	SMCA	Item/Sy	CG, IOC
			(MG Arbuckle)		stem	
					Manage	
					r	
This ammunition is being procured to support	demolition training and	disposal operati	ons. Included are a wide	variety of initiator	s, components of	demolition firing
trains and explosive charges.						
Fuze, Electronic Time/M767 HE	PFDOS	IV	CG, IOC	SMCA	Item/Sy	CG, IOC
Rounds			(MG Arbuckle)		stem	
					Manage	
					r	
This is a low cost precision fuze which can be	automatically or manua	lly set. The auto	matic mode allows artille	ery increased rate	s of fire, reduces r	esponse time
and decreases human error. The manual feat	ure eliminates the need	for external fuze	e setters.			
Grenades, all types	PFDOS	IV	CG, IOC	SMCA	Item/Sy	CG, IOC
			(MG Arbuckle)		stem	
					Manage	
					r	
This ammunition is being procured to support	training. All are hand-he	eld and are emp	loyed by the individual s	oldier. Included he	erein are various si	moke grenades and
training grenades to simulate the fragmentation	-	·				· ·
Mine Clearing Line Charge (MICLIC)	PFDOS	IV	CG, IOC	SMCA	Item/Sy	CG, IOC
			(MG Arbuckle)		stem	
					Manage	
					r	
The MICLIC is used to clear a vehicle width pa	ath through a minefield.	A 5 inch rocket	motor is used to tow the	explosive line acr	oss the minefield.	When detonated
the explosive line neutralizes mines in a 14m	•			·		
Mine, Training, All Types	PFDOS	IV	CG, IOC	SMCA	Item/Sy	CG, IOC
2.			(MG Arbuckle)		stem	·
			,		Manage	

r

Page 5 of 18

This ammunition is being procured to support training.

\* Sorted By MDA, Then By PM, Then By Pgm Title

\*\* PM Level: PG = O-7/SES Program Manager PJ = O-6/GS-15 Project

Manager

PD = O-5/GS-14 Product Manager Title if None of the Above

Manager

PD = O-5/GS-14 Product Manager Title if None of the Above

			MDA		PM	Organization
<u>Program</u>	<u>Current</u>	<u>ACAT</u>	(Name	<u>PM</u>	<u>Level</u>	Reports To
Projectile, Arty 155mm, all types	PFDOS	IV	CG, IOC	SMCA	Item/Sy	CG, IOC
			(MG Arbuckle)		stem	
					Manage	
					r	
This item consists of many rounds, including	g the M485A2 Illuminating	Projectile, the N	M718/M718A1/M741/ N	M741A1 Remote Anti-	Armor Mine Syst	em (RAAMS)
Projectile, the M692/M731 Area Denial Artill				Screening Projectile, t	he M712 Coppe	rhead Projectile, the
M483A1 Dual - Purpose Improved Conventi	,	•	•			
Shotgun Shells, all types	PFDOS	IV	CG, IOC	SMCA	Item/Sy	CG, IOC
			(MG Arbuckle)		stem	
					Manage	
					r	
This ammunition is being procured in suppo						
Signals, all types	PFDOS	IV	CG, IOC	SMCA	Item/Sy	CG, IOC
			(MG Arbuckle)		stem	
					Manage	
					r	
This ammunition is being procured in suppo	ort of training. These signal	s are generally	used in Combined Arr	ns Training as a mean	s of communicat	tion.
Simulators, all types	PFDOS	IV	CG, IOC	SMCA	Item/Sy	CG, IOC
			(MG Arbuckle)		stem	
					Manage	
					r	
This ammunition is being procured in suppo	ort of training. These simula	ators are genera	ally used in Combined	Arms Training as a mo	eans of simulatin	ng the sights and
sounds of battle.						
Advanced Composites Casualty	CE	IV	CG, MRMC	DIR, USAMMDA	PJ	USAMRMC
Litter System			(MG Parker)			
A project to develop a lightweight rugged litt	ter using composite materi	els to reduce we	eight by 50% from cur	rently fielded litter.		
	^=	IV	CG, MRMC	DIR, USAMMDA	PJ	USAMRMC
	CE			,		
	CE		(MG Parker)	<b>,</b>		
			(MG Parker)	·	njected treatmer	nt for severe
Anti-Malarial Drug, Arteether			(MG Parker)	·	njected treatmer	nt for severe
Anti-Malarial Drug, Arteether  An anti-malarial drug that is a derivative of the			(MG Parker)	·	njected treatmer	nt for severe  USAMRMC
Anti-Malarial Drug, Arteether  An anti-malarial drug that is a derivative of the multi-drug resistant malaria.	the Chinese herbal remedy	/ Qinghaosu. It i	(MG Parker) is intended as an expe	edient intramuscularly i		
Anti-Malarial Drug, Arteether  An anti-malarial drug that is a derivative of the multi-drug resistant malaria.	the Chinese herbal remedy <b>EMD</b>	/ Qinghaosu. It i <b>IV</b>	(MG Parker) is intended as an expe  CG, MRMC (MG Parker)	edient intramuscularly i		
Anti-Malarial Drug, Arteether  An anti-malarial drug that is a derivative of the multi-drug resistant malaria.  Antileishmanial Drug, WR6026	the Chinese herbal remedy <b>EMD</b>	/ Qinghaosu. It i <b>IV</b>	(MG Parker) is intended as an expe  CG, MRMC (MG Parker)	edient intramuscularly i		

ACAT IV by MDA (Non-AIS)						
			MDA		PM	Organization
<u>Program</u>	<u>Current</u>	<u>ACAT</u>	(Name	<u>PM</u>	Level	Reports To
Antimalarial Drug, Azithromycin	EMD	IV	CG, MRMC	DIR, USAMMDA	PJ	USAMRMC
			(MG Parker)			
A product designed to be an effective replacer	nent for doxycycline for	the prevention of	of malaria.			
Antimalarial Drug, Halofantrine	PDRR	IV	CG, MRMC	DIR, USAMMDA	PJ	USAMRMC
Prophylactic			(MG Parker)			
An oral alternative to chloroquine and mefioqu	ine for prevention of res	sistant acute ma	laria. Cardiac toxicity	has haulted further dev	elopment.	
Antimalarial Drug, WR238605	PDRR	IV	CG, MRMC	DIR, USAMMDA	PJ	USAMRMC
			(MG Parker)			
A product which has demonstrated antimalaria	Il potential in preclinical	studies, both as	a prophylactic and t	reatment drug. Ongoing	field clinical tr	ails indicate efficacy
with fewer required doses than current treatme	ent.					
Area Medical Lab	PFDOS	IV	CG, MRMC	DIR, USAMMDA	PJ	USAMRMC
			(MG Parker)			
A system to provide medical laboratory capabi	lities to deployed forces	S.				
Campylobacter Vaccine	PDRR	IV	CG, MRMC	DIR, USAMMDA	PJ	USAMRMC
			(MG Parker)			
A vaccine to protect against a major cause of o	diarrheal illness both in	CONUS and in t	the third world.			
Critical Care System for Trauma and	CE	IV	CG, MRMC	DIR, USAMMDA	PJ	USAMRMC
Transport			(MG Parker)			
A self-contained system to provide life support	and stabilization for ca	sualties during e	evacuation. It will con	tain defibrillator, ventilat	or, vital signs ı	monitoring, fluid
infusion and oxygen supply in a single unit.						
Cyanide Pretreatment	PDRR	IV	CG, MRMC	DIR, USAMMDA	PJ	USAMRMC
			(MG Parker)			
An oral formulation which will provide protection	n against cyanide poiso	oning.				
ETEC Whole Cell Vaccine	EMD	IV	CG, MRMC	DIR, USAMMDA	PJ	USAMRMC
			(MG Parker)			
The vaccine is designed to protect U.S. Forces	s world-wide against se	vere diarrhea an	nd fever caused by E	nterotoxigenic E.Coli.		
Hemostatic Dressing	CE	IV	CG, MRMC	DIR, USAMMDA	PJ	USAMRMC
			(MG Parker)			

The purpose of the Hemostatic Dressing is to develop a dressing which will produce a strong, durable clot at a bleeding site within two minutes in order to control severe life-threatening bleeding.

\* Sorted By MDA, Then By PM, Then By Pgm Title

Page 7 of 18

\*\* PM Level: PG = O-7/SES Program Manager PJ = O-6/GS-15 Project

Manager

PD = O-5/GS-14 Product Manager Title if None of the Above

ACAT IV by MDA (Non-AIS)						
			MDA		PM	Organization
<u>Program</u>	<u>Current</u>	<b>ACAT</b>	(Name	<u>PM</u>	<u>Level</u>	Reports To
Hypertonic Saline Dextran	EMD	IV	CG, MRMC	DIR, USAMMDA	PJ	USAMRMC
			(MG Parker)			
This product provides a small volume rescita	ative fluid to stabilize hypo	volemic patients	s. This product will p	rovide the effectiveness	of a liter of fluid	d in a small 450ml
bag.						
Leishmania Skin Test	PDRR	IV	CG, MRMC	DIR, USAMMDA	PJ	USAMRMC
			(MG Parker)			
The Leishmania Skin Test is an intradermal	test to screen U.S. servic	e members who	may have been exp	osed to Leishmania para	asites after dep	oloyment to the
Middle East and Africa.						
Malaria Recombinant Vaccine	PDRR	IV	CG, MRMC	DIR, USAMMDA	PJ	USAMRMC
(RTS,S/TRAP)			(MG Parker)			
This vaccine consistinf of recombinantly eng	ineered immunogenic fra	ctions of the mal	laria surface coat is o	designed to protect servi	ce members fr	om falciparum
malaria.						
Nerve Agent Antidote,	EMD	IV	CG, MRMC	DIR, USAMMDA	PJ	USAMRMC
Multichambered Autoinjector			(MG Parker)			
This will replace the current autoinjector with	a new autoinjector provi	ding delivery of b	ooth atropine and 2-F	PAM Chloride from differ	ent chambers	in the same
autoinjector through a single needle.						
Schistosome Topical Antipenetrant	EMD	IV	CG, MRMC	DIR, USAMMDA	PJ	USAMRMC
			(MG Parker)			
A topical formulation containing niclosamide	that will prevent penetrat	ion of schistosor	me cercariae (i.e., wi	ill prevent infection from	occurring).	
Shigella Flexneri Vaccine	PDRR	IV	CG, MRMC	DIR, USAMMDA	PJ	USAMRMC
			(MG Parker)			
This is a vaccine origanally developed at Ins	titut Pasteur in Paris and	further refined b	y USAMRMC to pre	vent dysentery produced	l by Shigella fle	exneri.
Shigella Sonnei Vaccine	PDRR	IV	CG, MRMC	DIR, USAMMDA	PJ	USAMRMC
			(MG Parker)			
A vaccine developed at Walter Reed Army In	nstitute of Research to pro	otect soldiers ag	ainst diarrhea cause	ed by Shigella sonnei.		
Thawed Blood Processing System	EMD	IV	CG, MRMC	DIR, USAMMDA	PJ	USAMRMC

(MG Parker)

This is a fully automated system capable of washing a unit of blood in less than 30 minutes. The new system is less than one-third the size of the existing system and will increase the shelf life of thawed blood from 1 day to more than 2 weeks.

\* Sorted By MDA, Then By PM, Then By Pgm Title

Page 8 of 18

\*\* PM Level: PG = O-7/SES Program Manager PJ = O-6/GS-15 Project

Manager

PD = O-5/GS-14 Product Manager Title if None of the Above

This vaccine is currently licensed for use in Europe but not the U.S. This virus, with a high mortality rate is endemic in Central Europe incliding Bosnia. Meetings with the FDA will determine what, if any, additional studies are required for licensure in the U.S.

Topical Antileishmanial Drug PDRR IV CG, MRMC DIR, USAMMDA PJ USAMRMC (MG Parker)

This product is a topical ointment made from 2 aminoglycosides intended for the topical treatment of leishmaniasis, a disease common in the Middle East, sub-Saharan Africa, Mexico, Central and South America.

Topical Skin Protectant EMD IV CG, MRMC DIR, USAMMDA PJ USAMRMC (MG Parker)

The TSP is a cream containing chemically inert polymers. It has been shown to protect against the toxic effects resulting from percutaneous penetration of chemical warfare compounds. It will be submitted to the FDA for final approval this FY.

Warrior Medic PDRR IV CG, MRMC DIR, USAMMDA PJ USAMRMC (MG Parker)

The Warrior Medic, a variant of the Land Warrior System, is being developed to reduce the time between the occurance and the treatment of battlefield casualties. It includes electronic casualty reporting, field medical card, and electronic versions of applicable field manuals.

Camouflage Facepaint / Insect CE IV CG, MRMC RAM, MIDRP PJ USAMRMC

Repellent Combination (MG Parker)

Incorporation of insect repellent in a camouflage face paint to facilitate application and prevent adverse reactions between the two.

Dengue Tetravalent Vaccine CE IV CG, MRMC RAM, MIDRP PJ USAMRMC (Live-Attenuated) (MG Parker)

A vaccine to protect at least 80% of US forces from infection with all 4 stereotypes of dengue virus when deployed to dengue-endemic areas. The only current preventive measures are insect control/repellents to prevent bites with infected mosquitoes.

Diaginostic Device for Shigella CE IV CG, MRMC RAM, MIDRP PJ USAMRMC

(MG Parker)

Development of a device to rapidly and accurately diagnose shigella infections in individuals in the field.

Diagnostic Device for Dengue CE IV CG, MRMC RAM, MIDRP PJ USAMRMC

(MG Parker)

Page 9 of 18

Development of a device to rapidly and accurately diagnose dengue infections in individuals in the field.

severely many and decurately diagraphs designed and guestions in many data in the here.

\*\* PM Level: PG = O-7/SES Program Manager PJ = O-6/GS-15 Project

Fivi Level. FG = 0-1/5L3 Flogram Manager F3 = 0-0/63-13 Flojec

Manager

PD = O-5/GS-14 Product Manager Title if None of the Above

\* Sorted By MDA, Then By PM, Then By Pgm Title

ACAT IV by MDA (Non-AIS)						
			MDA		PM	Organization
<u>Program</u>	Current	<b>ACAT</b>	(Name	<u>PM</u>	<u>Level</u>	Reports To
Diagnostic Device for Scrub Typhus	CE	IV	CG, MRMC	RAM, MIDRP	PJ	USAMRMC
			(MG Parker)			
Development of a device to rapidly and accur	ately diagnose scrub typ	hus (rickettsia) i	nfections in individua	ls in the field.		
Diagnostics for Leishmaniasis	CE	IV	CG, MRMC	RAM, MIDRP	PJ	USAMRMC
			(MG Parker)			
Development of a diagnostic to rapidly and ad	ccurately identify leishma	ania infections in	individuals in the fiel	d.		
Hepatitus E Vaccine	CE/PDRR	IV	CG, MRMC	RAM, MIDRP	PJ	USAMRMC
			(MG Parker)			
A vaccine to protect at least 80% of US force	es from infection with hep	oatitis E virus.				
Improved Japanese Encephalitis	CE	IV	CG, MRMC	RAM, MIDRP	PJ	USAMRMC
Vaccine			(MG Parker)			
Development of an improved vaccine for the	prevention of Japanese	encephalitis in d	eployed US forces. T	he vaccine will require	fewer inoculation	ons doses than the
current vaccine and will also result in a reduc	tion of side effects.					
Lethal Ovitrap for Dengue Vectors	CE	IV	CG, MRMC	RAM, MIDRP	PJ	USAMRMC
			(MG Parker)			
Development of an inexpensive device to trap	o dengue vector mosquit	oes, thereby red	lucing the vector popu	ulation and transmissio	n rates.	
Malaria Rapid Diagnostic Device	CE	IV	CG, MRMC	RAM, MIDRP	PJ	USAMRMC
			(MG Parker)			
Development of a device to rapidly, accuratel	y, and definitively diagno	ose malaria in ind	dividuals in a field situ	uation. Current definitiv	e diagnosis is r	made by microscopic
examination of blood films which is time cons	uming and requires cons	siderable training	<b>]</b> .			
Meningococcal Vaccine	CE	IV	CG, MRMC	RAM, MIDRP	PJ	USAMRMC
			(MG Parker)			
A multivalent vaccine for the protection of US	forces from the most pro	evalent types of	meningococcal disea	se. The initial step will	be developmer	nt of a vaccine
against Group B meningitis, ultimately to be in	ncluded in a multivalent	vaccine.				
Shigella Vaccines	CF	IV	CG MRMC	RAM MIDRP	P.I	USAMRMC

**Shigella Vaccines** CE IV CG, MRMC RAM, MIDRP ΡJ **USAMRMC** 

(MG Parker)

Page 10 of 18

Vaccines for the protection of US forces from the 3 prevalent species of Shigella causing severe diarrheal disease: Shigella flexneri, S. sonnel, and S. dysenteriae.

Vaccines will protect at least 80% of immunized individuals deployed to endemic areas.

\*\* PM Level: PG = O-7/SES Program Manager PJ = O-6/GS-15 Project

Manager

PD = O-5/GS-14 Product Manager Title if None of the Above

\* Sorted By MDA, Then By PM, Then By Pgm Title

			MDA		PM	Organization
<u>Program</u>	<u>Current</u>	<b>ACAT</b>	(Name	<u>PM</u>	Level	Reports To
Chemically Protected Deployable	EMD	IV	DAR SBCCOM	System Manager	Item/Sy	CG, SBCCOM
Medical Systems (CP DEPMEDS)			(COL(P) Mangual)		stem	
					Manage	

The CP DEPMEDS is a kit that will be fielded with select DEPMEDS hospitals to convert the hospital into a fully operational environmentally controlled, collectively protected medical treatment facility. The CP DEPMEDS will provide a clean, toxic free environmentally controlled patient treatment area maximizing the use of existing equipment. The following components are required to be added to existing DEPMEDS hospitals to provide a fully operational collectively protected field hospital: M28 Collective Protection Equipment (CPE), CB ISO Shelter Seals, CB Protected Water Distribution System, CB Protected Latrines, Low Pressure Alarms and CB Protected Environmental Control Units (ECUs) and Heaters. CP DEPMEDS is a Multi-Service program with the Air Force and is fully supported by the OSD-CB Defense program. The system is scheduled for MSIII decision in 2QFY00.

I۷ PD Grenade, Hand: Incendiary, TH3, **EMD** Acq Ex, SBCCOM PM, Enhanced DAR, SBCCOM **Soldier Systems** Directed, XM89 (Mr. McKivrigan)

The XM89 utilizes state-of-the art technology and material to provide a lighter/smaller package with an enhanced thermal effect and a significantly enhanced destructive capability compared to the current thermal grenade.

**PFDOS** PD IV Acq Ex, SBCCOM DAR, SBCCOM Chemical/Biological Protected PM, Soldier **Shelter (CBPS)** (Mr. McKivrigan) Support

Highly mobile, CB protected shelter to provide a contamination-free, environmentally controlled working area for a battalion aid station singly, or, when joined with another CBPS, a division clearing station. It reduces set-up time, increases usable floor space, improves airlock operations and ventilation, and reduces reliance on prime movers.

**PFDOS** IV Acq Ex, SBCCOM **RDEC** Item/Sv DAR, SBCCOM **Modular Decontamination System** (MDS) M21/M22 (Mr. McKivrigan) stem Manage

The MDS consists of one Decontaminant Pumper (DP) module, and two High Pressure Washer (HPW) modules. Each module may be transported on the high mobility trailer towed by an M56 Smoke System or a HMMWV. Chemical units with TO&E will be prfovided site material for detailed equipment decontamination and non chemical units with the capability for operational decontamination as described in FM 3-5. The MDS will be fielded to the dual purpose smoke/chemical companies replacing the M12A1 Skid Mounted Decon Apparatus and the M17 Lightweight Decon system. Non-chemical units may be provided with the M22 HPW for

**EMD** IV **RDEC** Acq Ex, SBCCOM Item/Sy DAR, SBCCOM **Sorbent Decontamination System** (SDS) (Mr. McKivrigan) stem Manage

The SDS will consist of a decontaminant superior to XE555 used in the M295 kit to remove chemical agents from military equipment. The new absorbent will reduce off-gassing and contact hazard associated with the absorbent. It will be used by the soldier to decon personal equipment, vehicles and weapons..

\* Sorted By MDA, Then By PM, Then By Pgm Title

operational decontamination.

Page 11 of 18

\*\* PM Level: PG = O-7/SES Program Manager PJ = O-6/GS-15 Project

Manager

PD = O-5/GS-14 Product Manager Title if None of the Above

			WIDA		PIVI	Organization
<u>Program</u>	<u>Current</u>	<u>ACAT</u>	(Name	<u>PM</u>	<u>Level</u>	Reports To
Tester, Leakage, Protective Mask:	PFDOS	IV	Acq Ex, SBCCOM	RDEC	Item/Sy	DAR, SBCCOM
Protection Assessment Test			(Mr. McKivrigan)		stem	
System, M41					Manage	
					r	

The M41 Protection Assessment Test System (PATS) is designed to check the fit and readiness of protective masks. The PATS is approximately 200 cubic inches in size and 4 lb. in weight. It is based on a miniature Condensation Nucleus Counter that continuously samples and counts individual particles that occur naturally in the surrounding air. The PATS measures the concentration of these particles inside and outside of the mask and calculates a Fit Factor.

Advanced Integrated Collective	PDRR	IV	Acq Ex, SBCCOM	System Manager	Item/Sy	CG, SBCCOM
Protection System (ACIPS)			(Mr. McKivrigan)		stem	
					Manage	
					r	

The ACIPS is an advanced filtration system integrated with environmental control and exportable power source for vans and shelters to provide collective protection. It has the capability of being integrated in more than one configuration to provide protection to different tactical vehicles (heavy, XM31; medium, XM32; light, XM33).

M48 Chemical-Biological Apache	PFDOS	IV	Acq Ex, SBCCOM	System Manager	Item/Sy	CG, SBCCOM
Aviator's Mask/M49			(Mr. McKivrigan)		stem	
Chemical-Biological General					Manage	
Aviator's Mask					r	

CBDCOM (ERDEC) has tested and validated a man-mounted motor blower for use with the M48/M49 masks. The motor blower is lighter and has a better operating time than the M43/M43A1's motor blower. ERDEC is purchasing motor blowers, hoses, swivels, and straps to retrofit existing M43A1 facepieces to the M48 and M49 configuration. Apache aviator use the M48 mask while the general aviators (all helicopters except Apache) use the M49 mask. The mask provides protection against nuclear, Biological, and chemical agents.

IV

**PFDOS** 

r croonar Boronoc Weapon, onim	11200		oo, i Aoom	TAGOM (AGALA)	. •	DOA, IACOM
			(MG Caldwell)			
Standard issue hand gun, replaces the 45 ca	l. and 38 cal. hand guns.					
Simulators, Threat Que,	PFDOS	IV	CG, TACOM	TACOM (ACALA)	PG	DSA, TACOM
M25/M26/M27/M79			(MG Caldwell)			
Series of computer/radio controlled firing fixtu	res providing cues from	simulated thre	eat vehicles during heav	y armor firing practice.		
Collapsible Buttstock, M5	PFDOS	IV	TACOM (ACALA)	TACOM (ACALA)	PG	DSA, TACOM

CG. TACOM

(Mr. Morgan)

TACOM (ACALA)

PG

Provides a collapsible buttstock (CBS) for use on the M249 SAW machinegun. The CBS will enhance maneuverability in airborne and MOUT operations. In support of Soldier Enhancement Program.

\* Sorted By MDA, Then By PM, Then By Pgm Title

Personal Defense Weapon, 9mm

Page 12 of 18

DSA. TACOM

\*\* PM Level: PG = O-7/SES Program Manager PJ = O-6/GS-15 Project

Manager

PD = O-5/GS-14 Product Manager Title if None of the Above

ACAT IV by MDA (Non-AIS)						
			MDA		PM	Organization
<u>Program</u>	<u>Current</u>	<u>ACAT</u>	(Name	<u>PM</u>	<u>Level</u>	Reports To
Contact Maintenance Truck HMMWV	PFDOS	IV	TACOM (ACALA)	TACOM (ACALA)	PG	DSA, TACOM
(CMTH)			(Mr. Morgan)			
The CMTH is a combat support system. It is a s	self-contained equipme	nt package mo	ounted on an M1097 H	MMWV to form a Contac	ct Maintenanc	e Truck. The
equipment package consists of an enclosure m	ounted on the HMMW\	/ truck chassis	and contains tools and	d equipment required fo	r a contact ma	aintenance team to
perform limited repairs to disabled equipment o	nsite.					
Enhanced Remote Target System	PFDOS	IV	TACOM (ACALA)	TACOM (ACALA)	PG	DSA, TACOM
(ERETS)			(Mr. Morgan)			
The ERETS consists of infantry and armor targe	et mechanisms, both st	tationary and n	noving and related inte	rface and control hardw	are. The Ran	ge Control Station
computer provides for manual and automatic co	ontrol of the target mec	hanisms, accu	ımulates target hit data	and prints a permanent	record for eva	aluation of trainee
performance. Simulators, which add realism to	the training scenarios,	include the infa	antry night muzzle flasl	h simulator, armor targe	t kill simulator	, and the infantry
hostile fire simulator. The ERETS is installed or	າ various range configu	rations to supp	port infantry, armor and	d combined arms live fire	e training and	qualification
exercises.						
Flash Suppressor/Blast Attenuator	PFDOS	IV	TACOM (ACALA)	TACOM (ACALA)	PG	DSA, TACOM
for M24			(Mr. Morgan)			
Provides the M24 Sniper Weapon System with	flash/blast suppression	n device. This p	orogram is in support o	f the Soldier Enhanceme	ent Program.	
Gun Laying and Positioning System	PFDOS	IV	TACOM (ACALA)	TACOM (ACALA)	PG	DSA, TACOM
(GLPS)			(Mr. Morgan)			
Uses the military standard Precise Lightweight	Global Positioning Sys	tem Receiver,	a commercial azimuth	gyroscope theodolite ar	nd laser range	finder in a tripod
mounted configuration to determine position an	d orientation of every g	jun in the firing	battery from one cent	ral location.		
Improved Buttstock for M4	EMD	IV	TACOM (ACALA)	TACOM (ACALA)	PG	DSA, TACOM
			(Mr. Morgan)			
Provides the rifleman with an ergonomically opt	timized buttstock for the	e M4 Carbine.	This program is in sup	port of the Soldier Enha	ncement Prog	ıram.
Multiple Magazine Holder	PFDOS	IV	TACOM (ACALA)	TACOM (ACALA)	PG	DSA, TACOM
			(Mr. Morgan)			
Provides a clip to attach two magazines together	er which reduces the tir	me needed for	the soldier to change r	magazines. This prograr	n is in suppor	t of the Soldier

Provides a clip to attach two magazines together which reduces the time needed for the soldier to change magazines. This program is in support of the Soldier Enhancement Program.

Muzzle Velocity System PFDOS IV TACOM (ACALA) TACOM (ACALA) PG DSA, TACOM (Mr. Morgan)

The Muzzle Velocity System measures muzzle velocity of cannon artillery projectiles, replacing the M-90 Velocimeter. The M93 version is for the Paladin and the M94 version is for all other conventional artillery weapons.

\* Sorted By MDA, Then By PM, Then By Pgm Title

Page 13 of 18

\*\* PM Level: PG = O-7/SES Program Manager PJ = O-6/GS-15 Project

Manager

PD = O-5/GS-14 Product Manager Title if None of the Above

			MDA		PM	Organization
<u>Program</u>	<u>Current</u>	<b>ACAT</b>	(Name	<u>PM</u>	Level	Reports To
AVENGER Weapon System	PFDOS	IV	DSA, AMCOM (BG(P) Armbruster)	PM, SHORAD	PJ	DSA, AMCOM
AVENGER is the Line-of-Sight-Rear compone	nt of the Forward Area	Air Defense pro	gram.			
Automated Integrated Survey	PFDOS	IV	DSA, AMCOM	PM, TMDE	PJ	DSA, AMCOM
Instrument (AISI)			(BG(P)			
			Armbruster)			
An electronic total station survey instrument w	hich provides the surve	yor with a single	e instrument to achiev	e all functions formally	carried out with	theodolites,
tapes, and distance measuring devices.						
Aviation Ground Power Unit (AGPU)	PFDOS	IV	DSA, AMCOM (BG(P) Armbruster)	WSM AGSE	PD	DSA, AMCOM
Self-propelled, turbine powered cart which pro	vides hydraulic, AC/DC	power, and pne	eumatic power for UH	-60, OH-58D, CH-47, a	nd AH-64 aircra	aft.
New Aviation Tool System 95	PFDOS	IV	DSA, AMCOM	WSM AGSE	PD	DSA, AMCOM
(NATS-95)			(BG(P)			
			Armbruster)			
An improved tool system featuring enhanced i	nventory and quality too	ols.				
Non-Destructive Test Equipment	PFDOS	IV	DSA, AMCOM	WSM AGSE	PD	DSA, AMCOM
(NDTE)			(BG(P)			
			Armbruster)			
Consists of four Air Force managed systems:	X-ray, Harmonic Bond 1	Tester, Ultrasou	nd Tester, and Eddy (	Current Tester. These ι	ınits support all	Army rotary wing
aircraft.						
Standard Aircraft Towing System	PDRR	IV	DSA, AMCOM	WSM AGSE	PD	DSA, AMCOM
(SATS)			(BG(P)			
			Armbruster)			
Will provide a standard vehicle to safely tow a	I Army aircraft.					
Unit Maintenance Aerial Recovery Kit	PDRR	IV	DSA, AMCOM	WSM AGSE	PD	DSA, AMCOM
(UMARK)			(BG(P)			
			Armbruster)			
Provides all sling, rigging, spreader bars, and	hardware needed to ena		very of any Army airc	raft.		
Missile Minder System AN/TSQ-73	PFDOS	IV	DSA, AMCOM	WSM AN/TSQ-73	PD	DSA, AMCOM
			(BG(P)			
			Armbruster)			
The AN/TSQ-73 is an all-microelectronic surfa	ce-to-air missile fire dis	tribution system	n providing command	and control.		
* Sorted By MDA, Then By PM, Then By Pgm Title						Page 14 of 18
** PM Level: PG = O-7/SES Program Manager PJ = O-6/GS-15	Project					

First Previous Next Last

PD = O-5/GS-14 Product Manager Title if None of the Above

Manager

ACAT IV by MDA (Non-AIS)						
			MDA		PM	Organization
<u>Program</u>	<u>Current</u>	<b>ACAT</b>	<u>(Name</u>	<u>PM</u>	<u>Level</u>	Reports To
CHAPARRAL Guided Missile System	PFDOS	IV	DSA, AMCOM	WSM Hawk	PJ	DSA, AMCOM
			(BG(P)			
			Armbruster)			
CHAPARRAL Guided Missile System is a standard	short-range, low alti	tude, forward	area, air defense syste	em.		
Dragon	PFDOS	IV	DSA, AMCOM	WSM Hawk	PJ	DSA, AMCOM
			(BG(P)			
			Armbruster)			
The Dragon System is a medium range anti-armor/b	ounker missile syster	m.				
HAWK Guided Missile System	PFDOS	IV	DSA, AMCOM	WSM Hawk	PJ	DSA, AMCOM
			(BG(P)			
			Armbruster)			
HAWK is a medium-range, surface-to-air guided mis	ssile system that pro	vides air defe	ense coverage against	low-to-medium altitude	aircraft. It is a	mobile, all
weather, day and night system.						
Laser Target Designators (LTD)	PFDOS	IV	DSA, AMCOM	WSM	PJ	DSA, AMCOM
			(BG(P)	Lasers/Armored		
			Armbruster)	Vehicles		
LASERS consist of three distinctive models: Laser	Γarget Designator, M	1odular Unive	rsal Laser Equipment,	and Ground/Vehicular I	aser Locator	Designator. All three
provide the Army, USMC, and allies with the ability	to perform precision	strikes via ac	curate location designa	ation of hostile forces. T	he M981, FIS	TV enhances
combined arms efficiency by providing the Fire Sup	port Team and the C	Combat Obser	vation Lasing Team he	eadquarters with an ope	rating base fo	r targeting,
self-location, and designation equipment which prov	vides improvements	in first round	accuracy, mobility, and	I survivability comparab	le with the ma	neuver units being
supported.						
Light and Special Division Interim	PFDOS	IV	DSA, AMCOM	WSM LISDIS	PJ	DSA, AMCOM
Sensor (LSDIS)			(BG(P)			
			Armbruster)			
LSDIS is a lightweight, ruggedized, highly transporta	able sensor system.					
TOW Guided Missile System -	PFDOS	IV	DSA, AMCOM	<b>WSM Missiles</b>	PJ	DSA, AMCOM
Ground Launcher			(BG(P)			
			Armbruster)			
The TOW2 weapon system is a crew portable, heav	y antitank weapon s	system design	ed to defeat armored v	vehicles and other targe	ts such as fiel	d fortifications.
Man Portable Common Thermal	PFDOS	IV	DSA, AMCOM	WSM Thermal	PJ	DSA, AMCOM
Night Sights			(BG(P)	Viewers		
			Armbruster)			

Man Portable Common Thermal Night Sights (MPCTNS) is a family of missile systems-mounted and separately employed thermal night sight systems.

 $^{\star}$  Sorted By MDA, Then By PM, Then By Pgm Title Page 15 of 18

\*\* PM Level: PG = O-7/SES Program Manager PJ = O-6/GS-15 Project

Manager

PD = O-5/GS-14 Product Manager Title if None of the Above

			MDA		PM	Organization
<u>Program</u>	<u>Current</u>	<b>ACAT</b>	(Name	<u>PM</u>	<u>Level</u>	Reports To
Guardrail / Common Sensor (GR/CS),	PFDOS	IV	DSA, CECOM	CECOM LRC	Item/Sy	DSA, CECOM
System 3			(COL(P)		stem	
			Mazzucchi)		Manage	
					r	
GR/CS System 3 is a corps-level SIGINT(COM	IINT & ELINT) collection	n and precision	targeting system.			
QUICKFIX	PFDOS	IV	DSA, CECOM	CECOM LRC	Item/Sy	DSA, CECOM
			(COL(P)		stem	
			Mazzucchi)		Manage	
					r	

The AN/ALQ-151 (V)2, QUICKFIX, Special Purpose Countermeasures System, is an aviation asset. Installed in an EH-60A, Blackhawk Helicopter with a primary mission to INTERCEPT, LOCATE and JAM enemy communications and pass such intelligence to Military Intelligence elements. The EH-60A Helicopter, its Avionics, Aircraft Survivability Equipment (ASE), and Integrated Inertial Navigation System (IINS) is maintained under the Aviation Unit Maintenance (AVUM), Aviation Intermediate Maintenance (AVIM) and Depot maintenance philosophy. The Mission Equipment Package (MEP) is maintained under the four level maintenance concept: Unit Level (UL), Direct Support (DS), General Support (GS) and Depot.

<b>Bunker Defeat Munition (BDM)</b>	PFDOS	IV	DSA, TACOM	ARDEC	Item/Sy	DSA, TACOM
			(COL(P)		stem	
			Harrington)		Manage	
					r	

Disposable, shoulder-fired 83mm munition for neutralizing earth and timber bunker fortifications.

Ranger Anti-Armor, Anti-Personnel	PFDOS	IV	DSA, TACOM	ARDEC	Item/Sy	DSA, TACOM
Weapon System (RAAWS)			(COL(P)		stem	
			Harrington)		Manage	
					r	

The Ranger Anti-Armor, Anti-Personnel Weapon System is an 84mm recoilless rifle and family of ammunition designed to defeat lightly armored targets, personnel and field fortifications. This NDI effort is specifically for the SOF-Rangers.

Helicopter Extended-Range Fuel	PFDOS	IV	DSA, TACOM	PM, PAWS	PD	DSA, TACOM
System			(COL(P)			
			Harrington)			

Allows cargo helicopters to internally transport all of the hardware and fuel required to perform tactical refueling of other aircraft in remote locations. The system is modular and can be converted to a fuel source for the transporting aircraft to allow for extended flying time.

Barge Derrick, 100-250 Ton	PFDOS	IV	DSA, TACOM	PM, TAWS	PJ	DSA, TACOM
			Harrington)			

Page 16 of 18

A steel constructed craft capable of off-loading cargo from existing and projected shipping through the year 2020. Will have living accommodations for 15.

\* Sorted By MDA, Then By PM, Then By Pgm Title

\*\* PM Level: PG = O-7/SES Program Manager PJ = O-6/GS-15 Project

Manager

PD = O-5/GS-14 Product Manager Title if None of the Above

ACAT IV by MDA (Non-AIS)			NAID A			Organization
Program	Current	ACAT	MDA (Name	PM_	PM <u>Level</u>	Organization <u>Reports To</u>
Program Causeway Systems	PFDOS	IV	DSA, TACOM	PM, TAWS	<u>Levei</u> PJ	DSA, TACOM
Causeway Systems	11200	14	(COL(P)	i iii, i Avvo	10	DOA, TAGOM
			Harrington)			
The Causeway System includes the Floating	ı Causeway Causeway F	erry and the Ro		rge Facility. They are no	wered/non-now	vered modular
building blocks that allow movement of cargo		•			•	
where fixed port facilities are unavailable, de	· ·	(2010)	invironimoni doroco di	miprovou bodonos/wato	. Wayo iii aroao	or the world
Pusher Tug, Small	PFDOS	IV	DSA, TACOM	PM, TAWS	PJ	DSA, TACOM
r donor rug, oman			(COL(P)	,	. •	, <b>_</b>
			Harrington)			
A steel hull craft, 61 ft. long, twin propulsors	w/twin diesel inboard driv	e. 5 berths. din		ors, whose mission is to	provide towina	of LASH and
general barges in harbors, inland waterways		o, o oo a o	one, = areser gerrera		promac terming	5. <u>-</u> 5
AT-4 Multi-purpose Weapon Trainer	PFDOS	IV	DSA, TACOM	TACOM (ACALA)	PG	DSA, TACOM
			(COL(P)	,		,
			Harrington)			
This ammunition is being procured to suppor	t training on the AT-4 sys	tem.	,			
CTG, Arty 105 HERA, M913	PFDOS	IV	ARDEC	ARDEC	Item/Sy	DSA, TACOM
			(BG Geis)		stem	
					Manage	
					r	
The XM913 High Explosive Rocket Assist 10	5mm artillery round impro	ves light forces	s capability in the M1	19 howitzer. It increases	range with imp	roved lethality.
CTG, Arty 105 HERA, XM927	EMD	IV	ARDEC	ARDEC	Item/Sy	DSA, TACOM
			(BG Geis)		stem	
					Manage	
					r	
The XM927 High Explosive Rocket Assist 10	5mm artillery round provi	des an increase	e in range, improved	lethality and is compatible	le with existing	howitzers.
CTG, Arty 105mm DPICM,	EMD	IV	ARDEC	ARDEC	Item/Sy	DSA, TACOM
XM915/XM916			(BG Geis)		stem	
					Manage	
					_	

CTG, Arty 105mm DPICM, XM915/XM916 are 105mm cargo ejecting projectiles. One (XM916) is for use with all 105mm howitzers. The XM915 is for use with the M119 howitzer. These enhance light force capabilities.

 $^{\ast}$  Sorted By MDA, Then By PM, Then By Pgm Title

Page 17 of 18

\*\* PM Level: PG = O-7/SES Program Manager PJ = O-6/GS-15 Project

Manager

PD = O-5/GS-14 Product Manager Title if None of the Above

			MDA		PM	Organization
<u>Program</u>	<u>Current</u>	<b>ACAT</b>	<u>(Name</u>	<u>PM</u>	<u>Level</u>	Reports To
Binoculars, Mini M24	PFDOS	IV	PM, Soldier	PM, Enhanced	PD	DAR, SBCCOM
			(COL Jette)	Soldier Systems		

Light weight, miniature binocular capable of fitting in the cargo pocket of the BDU. In support of the soldier enhancement program.

\* Sorted By MDA, Then By PM, Then By Pgm Title

Page 18 of 18

\*\* PM Level: PG = O-7/SES Program Manager PJ = O-6/GS-15 Project

Manager

PD = O-5/GS-14 Product Manager Title if None of the Above